



GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd. CIN No. : U74900PN2013PTC149666

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sanaswadi, Tal-Shirur, Pune-412208.
Mob+ 9545084820 | E-mail: gesec12@gmail.com | www.greenenvirosafe.co.in

Approved by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO/IEC 17025:2005 (NABL), ISO 9001:2015 and OHSAS 18001:2007 Certified Company

TEST CERTIFICATE

Report No: GESEC/PRO/2019-20/01/184	Date of Report	03/02/2020
Client Name and Address: M/s. NiraBhimaSahakariSakharkarkhana Ltd. Shahajinagar, Post-Redni, Tal-Indapur, Dist-Pune, Pin-413114.	Date of Sampling	27/01/2020
	Sample Details	Compost Sample
Sample Collected By		GESEC

Compost Sample Report

Sr. No.	Location	Result	Unit	Standard Value	The Factories Act 1948, standards
1.	pH at 25°C	6.6	--	Not Applicable	IS:10158-1982(RA-2009)-7, page no.18
2.	Moisture	31.6	%	Not Applicable	IS:9235-1979(RA-2009)-A.1, page no.5
3.	Total Organic Carbon	26.4	%	Not Applicable	Fertilizer Control Order, 1985, page no. 144-A
4.	Total organic Matter	47.1	%	Not Applicable	Fertilizer Control Order, 1985, page no. 144-A
5.	Total Nitrogen as N	1.88	%	Not Applicable	IS:10158-1982(RA-2009)-5, page no.8
6.	Total Phosphate as P ₂ O ₅	2.79	%	Not Applicable	IS:10158-1982(RA-2009)-10.1A, page no.19
7.	Total Potassium	3.3	%	Not Applicable	IS:10158-1982(RA-2009)-9, page no.18
8.	C:N Ratio	14.04	--	Not Applicable	Fertilizer Control Order, 1985, page no. 144-B

ANALYZED BY-

@helax



AUTHORIZED SIGNATORY

Hande's

Compost Characteristics

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date, 09/02/2017 to 08/02/2022.